



May 13, 2025

Listing Compliance, <b>BSE Limited</b> P. J. Towers, Dalal Street, Mumbai - 400 001 (Scrip Code: 526881)	Listing Compliance, <b>National Stock Exchange of India Limited</b> Exchange Plaza, Bandra Kurla Complex, Bandra (E), Mumbai – 400 051 (Scrip Code: 63MOONS)
--	--

Dear Sir / Madam,

**Sub: Board Meeting to consider Audited (Standalone and Consolidated) Financial Results for the year ended 31<sup>st</sup> March 2025.**

Pursuant to Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements) Regulations 2015, please be informed that a meeting of the Board of Directors (“Board”) of the Company is scheduled to be held on Tuesday, 20<sup>th</sup> May 2025, inter-alia to consider and approve the Audited (Standalone and Consolidated) Financial Results for the year ended 31<sup>st</sup> March 2025.

The Board may consider and recommend Dividend on equity shares of the Company for the F.Y. 2024-25, if any. The distribution of dividend, if at all recommended by the Board, shall be subject to the approval by the shareholders at the forthcoming Annual General Meeting and appropriate judicial orders.

Further, as informed vide our letter dated 25<sup>th</sup> March 2025, the Trading Window for dealing in equity shares of the Company shall remain closed upto Forty-Eight hours after the above financial results are made public on 20<sup>th</sup> May 2025.

Kindly acknowledge receipt and take the above information on your records.

Thanking You,  
Yours faithfully,  
For 63 moons technologies limited

Hariraj Chouhan  
Sr. VP & Company Secretary

**63 moons technologies limited**

Corporate Office: FT Tower, CTS No. 256 & 257, Suren Road, Chakala, Andheri (East), Mumbai 400 093, India.  
T: +91 22 66868010 | P: +91 22 66868050 | E: [info@63moons.com](mailto:info@63moons.com) | W: [www.63moons.com](http://www.63moons.com)

Registered Office: Shakti Tower - II, 4<sup>th</sup> floor, Premises - J, 766, Anna Salai, Chennai - 600 002.  
T: +91 44 4395 0850 | P: +91 44 4395 0899 | CIN No.: L29142TN1988PLC015586